PARAMOBILTM

Static standing frame

PARAMOBIL™ is a multifunctional standing frame that combines three modes: static, dynamic, and rehabilitation. In static mode, it aids early rehabilitation by improving physiological processes and oxygenating the body. Dynamic mode supports movement skill development, while rehabilitation mode complements therapy. With adjustable knee supports, PARAMOBIL™ is ideal for use in rehabilitation centers, even for users in a coma. Its versatility, rich features, and wide adjustments meet the needs of various users. The device is available in a complete unit or customized to suit specific needs.



Easy operation



24-month warranty



Stable construction



Static mode



Dynamic mode



Rehabilitation mode





For more details about the product, please visit our website.



90 - 200 cm Indicative user height



40 - 120 kg Max. user weight

This is a medical device. Use it in accordance with the user manual or the label.

INDICATIONS

Cerebral palsy (CP) - various types and forms | Brain and spinal cord injuries of various etiologies with limb paresis, severe balance disturbances, and coordination impairments | Demyelinating diseases (multiple sclerosis - MS, amyotrophic lateral sclerosis - ALS, and others) | Meningocele | Muscle diseases with paresis and paralysis (including dystrophy, myasthenia gravis, polymyositis) | Genetic syndromes with limb paresis | Degenerative and metabolic diseases of the nervous system | Degenerative and rheumatic joint diseases | Other diseases with limb paresis, paralysis, and musculoskeletal impairments | After injuries, following traumatic brain injuries or spinal cord injuries with limb paresis and paralysis, particularly with quadriplegia (as part of the rehabilitation process or as permanent orthopedic support)

CONTRAINDICATIONS

Observation: Monitor user during standing. Stop therapy if paleness, sweating, fainting, joint overload, or body deformations occur; consult with a doctor or physiotherapist | Absolute Contraindication: Critical condition of the user. | Relative Contraindications: Resting hypertension > 200/110 mmHg, pulmonary hypertension, heart rhythm disorders, unstable asthma, unstable metabolic issues, moderate heart valve disease. | Conditions like healing fractures or severe osteoporosis that prevent weight-bearing | Incomplete fracture healing (unless approved by a doctor) | Postoperative joint load restrictions | Pain from dislocation, excessive tissue stretch, or pressure; dislocation without pain is not contraindicated | Significant hip/knee flexion or ankle contractures; ensure no excessive pressure or stretch on affected areas.